

L Number	Hits	Search Text	DB	Time stamp
1	183	359/639.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 13:12
2	1435	microlens.clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 13:13
3	0	359.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 13:13
4	99312	359/\$4.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 13:13
5	379	microlens.clm. and 359/\$4.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 13:14
7	76	((microlens.clm. and (concave or concavity or recess\$4 or depression\$4).clm.) and (photoresist\$1 or resist\$1 or photosensitive or photopolymer\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 13:40
8	30	((microlens.clm. and (concave or concavity or recess\$4 or depression\$4).clm.) and (photoresist\$1 or resist\$1 or photosensitive or photopolymer\$4)) and @ad<20000731	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 13:19
9	116	(microlens.clm. and 359/\$4.ccls.) and (concave or concavity or recess\$4 or depression\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 13:19
10	60	((microlens.clm. and 359/\$4.ccls.) and (concave or concavity or recess\$4 or depression\$4)) and (photoresist\$1 or resist\$1 or photosensitive or photopolymer\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 14:08
11	30	((microlens.clm. and 359/\$4.ccls.) and (concave or concavity or recess\$4 or depression\$4)) and (photoresist\$1 or resist\$1 or photosensitive or photopolymer\$4)) and @ad<20000731	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 13:25
6	185	microlens.clm. and (concave or concavity or recess\$4 or depression\$4).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 13:24
12	222	359/626.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 13:25
13	71	359/626.ccls. and (photoresist\$1 or resist\$1 or photosensitive or photopolymer\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 13:40
14	138	359/626.ccls. and @ad<20000731	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 13:40

15	0	359.628.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 13:40
16	140	359/628.ccls.	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 13:40
17	67	359/628.ccls. and @ad<20000731	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 14:12
18	18	(359/628.ccls. and @ad<20000731) and (photoresist\$1 or resist\$1 or photosensitive or photopolymer\$4)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 14:05
19	0	((359/628.ccls. and @ad<20000731) and (photoresist\$1 or resist\$1 or photosensitive or photopolymer\$4)) not (359/628.ccls. and @ad<20000731)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 13:43
20	49	(359/628.ccls. and @ad<20000731) not ((359/628.ccls. and @ad<20000731) and (photoresist\$1 or resist\$1 or photosensitive or photopolymer\$4))	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 13:43
21	6989	(beam or intensity) with (shape\$1 near5 (lens\$4 or microlens\$4 or lenticular\$1 or lenslet\$1 or flyseye\$2 or ((flys) near2 eye\$1)))	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 14:07
22	7600	(beam or intensity) with ((shape\$1 or profile) near5 (lens\$4 or microlens\$4 or lenticular\$1 or lenslet\$1 or flyseye\$2 or ((flys) near2 eye\$1)))	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 14:08
23	1728	((beam or intensity) with ((shape\$1 or profile) near5 (lens\$4 or microlens\$4 or lenticular\$1 or lenslet\$1 or flyseye\$2 or ((flys) near2 eye\$1)))) and (photoresist\$1 or resist\$1 or photosensitive or photopolymer\$4)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 14:12
24	161801	(form\$4 or mak\$4 or manufactur\$6 or produc\$6) near5 (lens\$4 or microlens\$4 or lenticular\$1 or lenslet\$1 or flyseye\$2 or (flys near2 eye\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 14:11
25	2073	((beam or intensity) with ((shape\$1 or profile) near5 (lens\$4 or microlens\$4 or lenticular\$1 or lenslet\$1 or flyseye\$2 or ((flys) near2 eye\$1)))) same ((form\$4 or mak\$4 or manufactur\$6 or produc\$6) near5 (lens\$4 or microlens\$4 or lenticular\$1 or lenslet\$1 or flyseye\$2 or (flys near2 eye\$1)))	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 14:12
26	495	((beam or intensity) with ((shape\$1 or profile) near5 (lens\$4 or microlens\$4 or lenticular\$1 or lenslet\$1 or flyseye\$2 or ((flys) near2 eye\$1)))) same ((form\$4 or mak\$4 or manufactur\$6 or produc\$6) near5 (lens\$4 or microlens\$4 or lenticular\$1 or lenslet\$1 or flyseye\$2 or (flys near2 eye\$1))) and (photoresist\$1 or resist\$1 or photosensitive or photopolymer\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 14:12

27	93	((beam or intensity) with ((shape\$1 or profile) near5 (lens\$4 or microlens\$4 or lenticular\$1 or lenslet\$1 or flyseye\$2 or ((flys) near2 eye\$1)))) same ((form\$4 or mak\$4 or manufactur\$6 or produc\$6) near5 (lens\$4 or microlens\$4 or lenticular\$1 or lenslet\$1 or flyseye\$2 or (flys near2 eye\$1)))) same (photoresist\$1 or resist\$1 or photosensitive or photopolymer\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 14:12
28	311	((beam or intensity) with ((shape\$1 or profile) near5 (lens\$4 or microlens\$4 or lenticular\$1 or lenslet\$1 or flyseye\$2 or ((flys) near2 eye\$1)))) same ((form\$4 or mak\$4 or manufactur\$6 or produc\$6) near5 (lens\$4 or microlens\$4 or lenticular\$1 or lenslet\$1 or flyseye\$2 or (flys near2 eye\$1)))) and (photoresist\$1 or resist\$1 or photosensitive or photopolymer\$4)) and @ad<20000731	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 14:12
29	71	((beam or intensity) with ((shape\$1 or profile) near5 (lens\$4 or microlens\$4 or lenticular\$1 or lenslet\$1 or flyseye\$2 or ((flys) near2 eye\$1)))) same ((form\$4 or mak\$4 or manufactur\$6 or produc\$6) near5 (lens\$4 or microlens\$4 or lenticular\$1 or lenslet\$1 or flyseye\$2 or (flys near2 eye\$1)))) same (photoresist\$1 or resist\$1 or photosensitive or photopolymer\$4)) and @ad<20000731	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 14:13
30	240	((beam or intensity) with ((shape\$1 or profile) near5 (lens\$4 or microlens\$4 or lenticular\$1 or lenslet\$1 or flyseye\$2 or ((flys) near2 eye\$1)))) same ((form\$4 or mak\$4 or manufactur\$6 or produc\$6) near5 (lens\$4 or microlens\$4 or lenticular\$1 or lenslet\$1 or flyseye\$2 or (flys near2 eye\$1)))) and (photoresist\$1 or resist\$1 or photosensitive or photopolymer\$4)) and @ad<20000731) not (((beam or intensity) with ((shape\$1 or profile) near5 (lens\$4 or microlens\$4 or lenticular\$1 or lenslet\$1 or flyseye\$2 or ((flys) near2 eye\$1)))) same ((form\$4 or mak\$4 or manufactur\$6 or produc\$6) near5 (lens\$4 or microlens\$4 or lenticular\$1 or lenslet\$1 or flyseye\$2 or (flys near2 eye\$1)))) same (photoresist\$1 or resist\$1 or photosensitive or photopolymer\$4)) and @ad<20000731)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 14:19

Refine Search

Search Results -

Terms	Documents
L8 and L5	162

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L11

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Wednesday, August 04, 2004 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
side by side			
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L11</u>	L8 and I5	162	<u>L11</u>
<u>L10</u>	L8 and I7	2216	<u>L10</u>
<u>L9</u>	(concave or concavities or recess\$4 or inverse\$4 or inverted or photoresist\$1 or photopolymer\$6 or resist\$1) with ((microlen\$1 or lenticular or lens\$4 or lenslet\$4) near5 array\$4)	1637	<u>L9</u>
<u>L8</u>	(concave or concavities or recess\$4 or inverse\$4 or inverted or photoresist\$1 or photopolymer\$6 or resist\$1) same ((microlen\$1 or lenticular or lens\$4 or lenslet\$4) near5 array\$4)	2690	<u>L8</u>
<u>L7</u>	(concave or concavities or recess\$4 or inverse\$4 or inverted or photoresist\$1 or photopolymer\$6 or resist\$1) with (microlen\$1 or lenticular or lens\$4 or lenslet\$4)	54265	<u>L7</u>
<u>L6</u>	(concave or concavities or recess\$4 or inverse\$4 or inverted or photoresist\$1 or photopolymer\$6 or resist\$1) same (microlen\$1 or lenticular or lens\$4 or lenslet\$4)	81545	<u>L6</u>

<u>L5</u>	(concave or concavities or recess\$4 or inverse\$4 or negative or inverted) with (photoresist\$1 or photopolymer\$6 or resist\$1)	38638	<u>L5</u>
<u>L4</u>	(concave or concavities or recess\$4 or invewrse\$4 or negative) with (photoresist\$1 or photopolymer\$6 or resist\$1)	36734	<u>L4</u>
<u>L3</u>	L2 and l1	607	<u>L3</u>
<u>L2</u>	(concave or concavities or recess\$4 or photoresist\$1 or photopolymer\$6 or resist\$1) same (microlen\$1 or lenticular or lens\$4 or lenslet\$4)	70522	<u>L2</u>
<u>L1</u>	(concave or concavities or recess\$4) with (photoresist\$1 or photopolymer\$6 or resist\$1)	13159	<u>L1</u>

END OF SEARCH HISTORY